

# United States Department of Agriculture Animal and Plant Health Inspection Service

SWELCH INS-0000851391

# **Inspection Report**

ABNER ALLGYER 15503 County Road D DARLINGTON, WI 53530 Customer ID: 507882

Certificate: 35-A-0464

Site: 001

ABNER ALLGYER

Type: ROUTINE INSPECTION

Date: 08-MAR-2023

#### 2.51

### Form of official tag.

Not all dogs had official identification listed on APHIS 7005 Adult Dogs on Hand and/or on dogs by either tag or microchip. Official identification is required to help manage and track husbandry records and treatments for each dog. Ensure that each dog has their official identification recorded on the adult dog list (APHIS 7005) and that each dog is wearing their official identification number as required.

\*\*\*Correct by May 8, 2023.

#### 3.10(a)

#### Watering

Three enclosures had water containers that were empty. The licensee reported watering chores were completed in the morning. The time of inspection was right before normal afternoon chore time which would include filling and refreshing water containers. When dogs were brought water they all drank water in a manner suggesting they were moderately thirsty. Empty water containers do not ensure dogs have adequate drinking water and adequate water is necessary for dogs to stay healthy. Potable water must be continuously available for dogs, unless restricted by the attending veterinarian. For their health, ensure that water containers are checked and filled often enough to ensure dogs have

Prepared By: SCOTT WELCH

USDA, APHIS, Animal Care 08-MA

Title: VETERINARY MEDICAL

**OFFICER** 

Date:

Received by Title: Licensee

08-MAR-2023

08-MAR-2023



# United States Department of Agriculture Animal and Plant Health Inspection Service

SWELCH INS-0000851391

## **Inspection Report**

drinking water available at all times.

\*\*\*Correct from this day forward.

## 3.11(b)(2)

### Cleaning, sanitization, housekeeping, and pest control.

The doors between the indoor/outdoor areas for dogs had a build-up of brown material on them. A build-up of brownish material could spread sickness in the building. The indoor surfaces that dogs contact need to be cleaned and sanitized often enough to prevent a buildup of material. Ensure to include the door surfaces in the cleaning and sanitizing routine and ensure they are cleaned and sanitized at least once every 2 weeks or more often if needed to prevent a build-up of material.

\*\*\*Correct by 3/14/2023.

This inspection and exit interview were conducted with the licensee.

Prepared By: SCOTT WELCH Date:

Title: VETERINARY MEDICAL

**OFFICER** 

Received by Title: Licensee Date:

08-MAR-2023

08-MAR-2023

USDA, APHIS, Animal Care



# United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 507882

Inspection Date: 08-Mar-2023

# **Species Inspected**

| Cust No | Cert No   | Site | Site Name     | Inspection  |
|---------|-----------|------|---------------|-------------|
| 507882  | 35-A-0464 | 001  | ABNER ALLGYER | 08-MAR-2023 |

CountScientific NameCommon Name000010DogsDOGS000005Canis lupus familiarisDOG PUPPY000015Total