



Inspection Report

HARLEY SCHMUCKER
6130 East 300 South
WOLCOTTVILLE, IN 46795

Customer ID: **508624**
Certificate: **32-A-0987**
Site: 001
Harley Schmucker

Type: ROUTINE INSPECTION
Date: 17-OCT-2023

2.50(b)(1)

Time and method of identification.

There were fifteen adult dogs on the animal inventory that did not have microchips. There was no other form of official tag attached to these animals.

All dogs, including puppies, must have distinctive identification so that animals can be identified in the case of an animal disease outbreak, and to identify specific animals that may require routine or veterinary care.

A class "A" breeder shall identify all dogs under his control or on his premises, whether held, purchased, or otherwise acquired. All dogs and puppies held at the facility must have a distinctive identification.

Correction Date: October 31, 2023

3.4(b)

Outdoor housing facilities.

One adult male poodle "Evan" was housed in an outdoor run with no access to the indoor part of the building. He had a domed shade shelter that was open on both ends. He did not have shelter from the elements. He was not provided with additional bedding and the low temperature last night was 41 °F.

The welfare of dogs can be adversely affected by cold temperatures and when inadequate shelter is provided.

Shelters in outdoor facilities for dogs must contain a roof, four sides, and a floor, and must contain clean, dry, bedding material if the ambient temperature is below 50 °F (10 °C).

Correction Date: October 18, 2023

This inspection and exit interview were conducted with a facility representative.

Prepared By: KRISTIN RAY
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
17-OCT-2023

Received by Title: Facility Representative

Date:
17-OCT-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
508624	32-A-0987	001	Harley Schmucker	17-OCT-2023

Count	Scientific Name	Common Name
000024	<i>Canis familiaris</i>	DOG ADULT
000034	<i>Canis familiaris</i>	DOG PUPPY
000058	Total	