



Inspection Report

Henry L Swarey
15472 Co Rd T
Fennimore, WI 53809

Customer ID: **6010709**
Certificate: **35-A-0488**
Site: 001
Henry L Swarey

Type: ROUTINE INSPECTION
Date: 14-DEC-2023

3.6(a)(2)

Primary enclosures.

Three outdoor runs have areas of wire points on the bottom part of the panel that the dogs could possibly contact. Wire points could be sharp and injure dogs. To prevent injury, ensure that panels are free from points that dogs could contact.
***Correct by 12/16/2023.

3.13(a)(2)

Veterinary care for dogs.

The facility has had regular scheduled visits by the attending veterinarian (AV), however the yearly adult physical exams are about one and a half months overdue. The licensee has been in communication with the AV's clinic to see when it can be done. Routine physical exams within every 12 months are required and help ensure dogs are healthy. Ensure that the adult physical exams by the AV get scheduled and completed.
***Correct by 1/14/2024.

This inspection and exit interview were conducted with facility representatives.

Prepared By: SCOTT WELCH
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
14-DEC-2023

Received by Title: Licensee

Date:
14-DEC-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6010709	35-A-0488	001	Henry L Swarey	14-DEC-2023

Count	Scientific Name	Common Name
000009	<i>Canis familiaris</i>	DOG ADULT
000009	Total	