



Inspection Report

ANGELA WEAVER
37588 Wickum Rd
HOWE, OK 74940

Customer ID: **503263**
Certificate: **73-A-2819**
Site: 001
ANGELA WEAVER

Type: FOCUSED INSPECTION
Date: 07-MAY-2024

2.75(a)(1)

Records: Dealers and exhibitors.

- The 7005 form is missing information. Seven dogs had no acquisition information at all, and the remaining acquisition boxes were not fully completed with names and addresses. Two dogs on the list were also missing identification. The 7005 forms must contain all required information, including appropriate detail on source and identification of the animals on hand.
Correct by 15 May 2024

3.1(b)

Housing facilities, general.

- Three dogs using the exercise pen have access to the interior of the kennel building, which contains a variety of cleaning supplies, equipment, and maintenance material. During the inspection, one Westie was noted to be chewing on an attachment for a vacuum cleaner. Access to equipment and supplies is a potential source of injury to the enclosed animals. The dogs are also able to make nose to nose contact with other dogs housed on both sides of the interior, which could potentially lead to aggression and injury.
Correct by 11 May 2024

3.1(c)(1)(i)

Housing facilities, general.

- On the outdoor portion of the north side of the kennel, two pens have heavily rusted upper crossbeam pipes. The affected pipes have rusted to a point where there are large holes in the pipe with jagged edges. These two pens contain adult huskies which are large enough to contact the rusted spots. This is a potential source of injury to the animals, and also weakens the structural integrity of the pipes. Any surfaces that come in contact with the animals must be free of excessive rust. The licensee must ensure that all enclosures are structurally sound and safe for the dogs at all times.
Correct by 15 May 2024

3.1(c)(3)

Housing facilities, general.

Prepared By: MICHAEL TYGART
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
10-MAY-2024

Received by Title: Licensee

Date:
10-MAY-2024



Inspection Report

- On the outdoor portion of the north side of the kennel, three upper horizontal cage pipes have an accumulation of hair, grime, and debris. This is a potential source of contamination to the enclosed animals. All surfaces in contact with the animals must be cleaned as often as necessary to prevent contamination of the enclosed dogs.
Correct by 11 May 2024

3.1(e)

Housing facilities, general.

- There was an open bag of dog feed in the storage room. This is an attractant to pests and insects, which can lead to a negative impact on the welfare of the animals. Open bags of feed and bedding must be protected by being placed in a storage container with a tight lid.
Correct by 10 May 2024

3.1(f)

Housing facilities, general.

- The exercise pen is connected to the kennel with a runway which is flooded with standing muddy water. Their only source of clean potable water is in the interior area of the kennel. In order to use the play area, they have to cross the flooded section. To reach drinking water when in the play yard, they have to cross the flooded area again. The three dogs in this yard had muddy legs and abdomens. Adequate drainage is critical to prevent contamination of the animals, and to help control pests and insects. The dogs should be prevented from accessing the flooded part of the run until effective drainage can be implemented.
Correct by 1 June 2024

This inspection was conducted with a facility representative and exit interview with licensee.

Additional Inspectors:

Kristina Plank, ANIMAL CARE INSPECTOR

Prepared By: MICHAEL TYGART
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
10-MAY-2024

Received by Title: Licensee

Date:
10-MAY-2024



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
503263	73-A-2819	001	ANGELA WEAVER	07-MAY-2024

Count	Scientific Name	Common Name
000029	<i>Canis familiaris</i>	DOG ADULT
000012	<i>Canis familiaris</i>	DOG PUPPY
000041	Total	