



Inspection Report

Angela Weaver
37588 Wickum Road
Howe, OK 74940

Customer ID: **503263**
Certificate: **73-A-2819**
Site: 001
ANGELA WEAVER

Type: ROUTINE INSPECTION
Date: 11-JUL-2024

3.3(a)

Sheltered housing facilities.

- At the start of the inspection (just before noon) the temperature inside the sheltered kennel building registered at 90.1 F. The temperature was rechecked 4 hours after the initial reading and was recorded at 92.3 F. Excessive heat is a source of stress and discomfort to the enclosed dogs and can result in a variety of health impacts if not corrected. The temperature in the interior portion of a sheltered kennel must not rise above 85F for more than four consecutive hours. The licensee must ensure that interior temperatures are maintained at a safe level for the dogs.
Correct by: 18 July 2024

This inspection and exit interview were conducted with the licensee.

Additional Inspectors:

Kristina Plank, ANIMAL CARE INSPECTOR

Prepared By: MICHAEL TYGART
USDA, APHIS, Animal Care

Date:
12-JUL-2024

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
12-JUL-2024



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
503263	73-A-2819	001	ANGELA WEAVER	11-JUL-2024

Count	Scientific Name	Common Name
000030	<i>Canis familiaris</i>	DOG ADULT
000019	<i>Canis familiaris</i>	DOG PUPPY
000049	Total	