



### Inspection Report

---

Reuben Troyer  
8689 TR 609  
Fredericksburg, OH 44627

Customer ID: **6011900**  
Certificate: **31-A-0904**  
Site: 001  
Reuben Troyer

Type: ROUTINE INSPECTION  
Date: 06-AUG-2024

---

#### 2.40(b)(1)

##### **Attending veterinarian and adequate veterinary care (dealers and exhibitors).**

The refrigerator in the kennel that stores vaccines is not working. Upon opening the refrigerator, it was noted that the temperature inside was that of room temperature. When the temperature was measured, it was found that the inside of the refrigerator was 86 Degrees Fahrenheit. Vaccines that were in the refrigerator stated that they must be stored between 35-46 Degrees Fahrenheit. Vaccines that are not stored appropriately may no longer be effective and may not properly protect dogs from diseases. Each dealer shall establish and maintain programs of adequate veterinary care that include the availability of appropriate facilities, personnel, equipment and services. Correct by ensuring the availability of appropriate equipment that can adequately store vaccines. Correct by 20-AUG-2024.

This inspection and exit interview were conducted with the Licensee.

---

**Prepared By:** JONATHAN TOMKOVITCH  
USDA, APHIS, Animal Care

**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
06-AUG-2024

**Received by Title:** Licensee

**Date:**  
06-AUG-2024



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6011900	31-A-0904	001	Reuben Troyer	06-AUG-2024

Count	Scientific Name	Common Name
000011	<i>Canis familiaris</i>	DOG ADULT
000002	<i>Canis familiaris</i>	DOG PUPPY
000013	<b>Total</b>	