



### Inspection Report

---

Acadiana Animal Aid  
142 Le Medicin Road  
Carencro, LA 70520

Customer ID: **505238**  
Certificate: **72-B-0146**  
Site: 002  
Acadiana Animal Aid

Type: ROUTINE INSPECTION  
Date: 21-FEB-2024

---

#### 2.75(a)(2)

##### Records: Dealers and exhibitors.

Acquisition and disposition records for dogs and cats are not being made, kept, and maintained on the required APHIS Form 7005 Record of Acquisition and Dogs and Cats on Hand and the APHIS Form 7006 Record of Disposition of Dogs and Cats, respectively. Use of these APHIS Forms allow for complete and accurate identification as well as tracking of animals being used in regulated activities. Each dealer and exhibitor shall utilize APHIS Form 7005 Record of Acquisition of Dogs and Cats on Hand and APHIS Form 7006 Record of Disposition of Dogs and Cats to make, keep, and maintain acquisition and disposition information or request a variance if using a computerized record keeping system that makes use of APHIS Forms 7005 and 7006 unsuitable.  
Correct by March 7, 2024.

#### 3.1(a)

##### Housing facilities, general.

The ground horizontal bar of the wire mesh/chain link fence and gate in the cement yard of the adoption building is no longer structurally sound. The horizontal bar is rusted with holes and sharp points in the rusted areas. Dogs and puppies which are allowed play time in this area may injure themselves on the rusted areas. Correct by ensuring the fence and gate are kept in good repair and protect the animals from injury.  
Correct by March 21, 2024.

#### 3.2(d)

##### Indoor housing facilities.

The cat cottage pressed wood flooring is no longer impervious to moisture. Moisture has seeped through floor seams in the open space where cats have free roam, causing the underlying grey pressed board to wick moisture and swell up through the floor seams. One cat enclosure that sits open ended on top of the wood floor has an approximately two-inch diameter compromised area in which the wood has pulled away and the previous underlying vinyl floor is exposed. Floors and surfaces that absorb water, urine, and other fluids, cannot be effectively cleaned and sanitized, which can damage structural integrity and harbor disease. Correct by ensuring the floors and walls of indoor housing facilities, and any other surfaces in contact with animals are impervious to moisture.  
Correct by May 22, 2024.

---

**Prepared By:** KEM SINGLETARY  
USDA, APHIS, Animal Care

**Date:**  
23-FEB-2024

**Title:** VETERINARY MEDICAL  
OFFICER

**Received by Title:** Facility Representative

**Date:**  
23-FEB-2024



## Inspection Report

---

This inspection and exit interview were conducted with a facility representative.

---

**Prepared By:** KEM SINGLETARY  
USDA, APHIS, Animal Care

**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
23-FEB-2024

**Received by Title:** Facility Representative

**Date:**  
23-FEB-2024



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
505238	72-B-0146	002	Acadiana Animal Aid	21-FEB-2024

Count	Scientific Name	Common Name
000033	<i>Canis familiaris</i>	DOG ADULT
000004	<i>Canis familiaris</i>	DOG PUPPY
000020	<i>Felis catus</i>	CAT ADULT
000013	<i>Felis catus</i>	CAT KITTEN
000070	<b>Total</b>	