



Inspection Report

PAWS of Dale Hollow
P.O. Box 242
Byrdstown, TN 38549

Customer ID: **332636**
Certificate: **63-B-0187**
Site: 001
PAWS OF DALE HOLLOW

Type: ROUTINE INSPECTION
Date: 25-APR-2022

2.40(b)(2)

Attending veterinarian and adequate veterinary care (dealers and exhibitors).

Expired heartworm preventative (Interceptor Plus tablets) was present at the time of inspection. A plastic baggie containing several individual sealed packaging pods of the 50-100 lb. size of Interceptor Plus included both expired tablets and tablets still in date. A person grabbing a tablet pod package could inadvertently administer an expired tablet. Expired medications may no longer be effective. All medications including heartworm preventative tablets must be in date to be considered appropriate methods to prevent, control and treat diseases and injuries. Correct by 4/28/22.

2.50(b)(1)

Repeat

Time and method of identification.

Three adult (over 4 months old) dogs housed at the facility at the time of inspection were not officially identified. They were not wearing a collar with tag. When asked if the dogs had microchips for identification the inspector was told no. All dogs must be officially identified in order to be able to legally identify each dog, to coordinate records/care and to help in the return of dogs in the event they get loose. All dogs held shall be immediately identified when obtained by the use of an official tag with collar, a microchip or a tattoo approved by Animal Care.

3.1(c)(1)(i)

Housing facilities, general.

Prepared By: SUSANNE BRUNKHORST
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
25-APR-2022

Received by Title: Facility Representative

Date:
25-APR-2022



Inspection Report

Several metal sections of the dog runs are covered with pitted/rough rust. These sections include the black small mesh frames added to the front of the enclosures to keep small puppies from escaping through the chain link fencing and the bottom bar of the enclosure door of the two enclosures furthest from the entry to the facility. Pitted, rough rusted surfaces cannot be adequately cleaned and sanitized and may hide damage to the metal structure itself. Interior metal surfaces and those that come in contact with the dogs must be free of rust that prevents the required cleaning and sanitization or that affects the structural strength of the surface. Correct by 7/15/22.

The dog facility was inspected with the caretaker.

The records inspection and exit interview were conducted with the facility representative.

Prepared By: SUSANNE BRUNKHORST
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
25-APR-2022

Received by Title: Facility Representative

Date:
25-APR-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
332636	63-B-0187	001	PAWS OF DALE HOLLOW	25-APR-2022

Count	Scientific Name	Common Name
000003	<i>Canis lupus familiaris</i>	DOG ADULT
000003	Total	