



Inspection Report

Timothy Schwartz
E 16215 State Hwy 82
HILLSBORO, WI 54634

Customer ID: **506981**
Certificate: **35-A-0455**
Site: 001
TIMOTHY SCHWARTZ

Type: ROUTINE INSPECTION
Date: 29-APR-2022

3.10(a)

Watering

An enclosure with three adult dogs in it had a water dish that didn't have water in it. The licensee said it was filled in the morning and filled it during inspection; the dogs were not interested in drinking and did not appear thirsty, however the requirement is that dogs have access to potable (clean) drinking water continuously. Ensure that dishes are big enough to provide continuous access to water or that the water system is maintained so that all dogs have continuous access to water.

***Correct from this day forward.

This inspection and exit interview were conducted with a facility representative.

Prepared By: SCOTT WELCH
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
29-APR-2022

Received by Title: Facility Representative

Date:
29-APR-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
506981	35-A-0455	001	TIMOTHY SCHWARTZ	29-APR-2022

Count	Scientific Name	Common Name
000015	<i>Canis lupus familiaris</i>	DOG ADULT
000005	<i>Canis lupus familiaris</i>	DOG PUPPY
000020	Total	