



Inspection Report

TLC Puppies
PO Box 593
Lead Hill, AR 72644

Customer ID: **6016568**
Certificate: **71-A-1436**
Site: 001
TLC Puppies

Type: ROUTINE INSPECTION
Date: 08-AUG-2023

3.10(a)

Watering

Potable water is not being continuously provided to all dogs. A litter of four active Yorkie puppies, approximately 9 weeks old, were being housed in a temporary enclosure with a small water bowl, insufficient in size to provide an adequate amount of water. The bowl was empty at the time of inspection and the puppies immediately emptied the small bowl upon refill. Water is vital to life and must be provided at all times in sufficient quantities to meet the needs of all dogs in the enclosure. Licensee corrected at the time of inspection by providing a sipper bottle.

This inspection and exit interview were conducted with a facility representative.

Prepared By: COURTNEY JERNIGAN
USDA, APHIS, Animal Care

Date:
09-AUG-2023

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:
09-AUG-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6016568	71-A-1436	001	TLC Puppies	08-AUG-2023

Count	Scientific Name	Common Name
000011	<i>Canis familiaris</i>	DOG ADULT
000008	<i>Canis familiaris</i>	DOG PUPPY
000019	Total	