



### Inspection Report

---

CUDDLY CANINES  
32580 CR 10  
FRESNO, OH 43824

Customer ID: **507474**  
Certificate: **31-A-0821**  
Site: 001  
CUDDLY CANINES

Type: ROUTINE INSPECTION  
Date: 20-NOV-2024

---

**3.10(a) Direct**

**Watering**

Four 11-week old King Charles Cavalier Spaniel puppies did not have access to water during the inspection. The licensee reports he moved the puppies into a new enclosure during cleaning. This new enclosure does not have a water bowl or an automatic waterspout. When asked, the licensee provided the puppies with a bowl of water. Three of the puppies directly went to the bowl and drank until the bowl was empty (approximately 45 seconds). The bowl was refilled, and the same three puppies drank for an additional 57 seconds. Access to water is necessary to prevent dehydration, especially in young puppies who may not have a lot of stamina yet. Correct by ensuring potable water is continually provided to all dogs and puppies. Correct by: Nov 20, 2024, onward.

This inspection and exit interview were conducted with the facility representative.

---

**Prepared By:** LAUREN MURPHY  
USDA, APHIS, Animal Care

**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
20-NOV-2024

**Received by Title:** Facility Representative

**Date:**  
20-NOV-2024



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
507474	31-A-0821	001	CUDDL Y CANINES	20-NOV-2024

Count	Scientific Name	Common Name
000034	<i>Canis familiaris</i>	DOG ADULT
000019	<i>Canis familiaris</i>	DOG PUPPY
000053	<b>Total</b>	