



Inspection Report

GERTIE MILLER
2884 T R 177
BAL TIC, OH 43804

Customer ID: **500699**
Certificate: **31-A-0911**
Site: 001
GERTIE MILLER

Type: ROUTINE INSPECTION
Date: 24-JAN-2023

3.6(a)(2)(ix)

Primary enclosures.

The facility has excessive chew damage present on multiple surfaces in the facility. The ramps used for the dogs to access the outdoor runs have chew damage on the edges and corners. One whelping box has chew damage present on the top rim and corners. The wooden frame around the pet doors and support beams in the indoor area of the kennel have excessive chew damage. Chew damage does not allow for proper sanitization of surfaces and can increase disease risk and can create sharp surfaces that can injure the dogs. The licensee must ensure that all surfaces in contact with the dogs are able to be cleaned and sanitized in accordance with 3.11(b) of this subpart, or replaced when worn or soiled. Correct by February 8, 2023.

This inspection and exit interview were conducted with the Facility Representative.

Prepared By: MARK SANDERBECK
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
25-JAN-2023

Received by Title: Facility Representative

Date:
25-JAN-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
500699	31-A-0911	001	GERTIE MILLER	24-JAN-2023

Count	Scientific Name	Common Name
000012	<i>Canis lupus familiaris</i>	DOG ADULT
000008	<i>Canis lupus familiaris</i>	DOG PUPPY
000020	Total	