



Inspection Report

JENINA FORTNER
312 N. CEDAR ST
ABILENE, KS 67410

Customer ID: **26017**
Certificate: **48-B-0317**
Site: 001
Jenina Fortner

Type: ROUTINE INSPECTION
Date: 24-MAR-2022

3.11(a)

Cleaning, sanitization, housekeeping, and pest control.

There is standing water in the outdoor portion of one sheltered enclosure housing three Chihuahuas. The concrete does not allow the water used for washing/cleaning and from rain to drain resulting in standing water. Additionally, fecal waste has mixed with this water to create an accumulation of contaminated water. Accumulated water and waste can play a role in disease transmission, attract pests, and cause the animals to become wet or soiled. The licensee must remove excreta and food waste from primary enclosures daily and ensure that standing water be removed from the primary enclosure. To be corrected by 25 March 2022.

This inspection and exit interview were conducted with facility representatives.

Prepared By: MARGARET SHAVER
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
24-MAR-2022

Received by Title: Licensee

Date:
24-MAR-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
26017	48-B-0317	001	Jenina Fortner	24-MAR-2022

Count	Scientific Name	Common Name
000042	<i>Canis lupus familiaris</i>	DOG ADULT
000023	<i>Canis lupus familiaris</i>	DOG PUPPY
000117	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000343	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG (MOST COMMON PET HEDGEHOG)
000525	Total	