



Inspection Report

Mary A Smith
40696 HIGHWAY 72
SALEM, MO 65560

Customer ID: **5590**
Certificate: **43-A-2296**
Site: 001
MARY ANN SMITH

Type: ROUTINE INSPECTION
Date: 02-NOV-2022

3.10(a) Repeat

Watering

In two enclosures, both with 2 dogs, there were empty water bowls, with no other water available. When water was presented, the dogs drank for a few seconds. Lack of water could cause the dogs to become dehydrated or other health issues. Having potable water available continuously is important to the health of the dogs. The licensee must ensure all dogs always have access to potable water.

Corrected during inspection.

3.11(d) Repeat

Cleaning, sanitization, housekeeping, and pest control.

A live mouse was noted in building #3, dead mice were noted on glue traps in building #2 and a large amount of rodent feces was noted along the central walkway in building #4. The rodent feces noted in building #4 extended the entire length of the central walkway. The licensee was currently using glue traps; however, these products were not effective for the control of the rodents at the entire facility. Rodents and other pests can carry diseases and pose potential health hazards to the animals. The licensee must establish and maintain a safe and effective protocol for the control of rodents and other pests to reduce disease hazards. To be corrected by: November 17, 2022.

This inspection and exit interview were conducted with the licensee.

Prepared By: HARVEY KENT
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
03-NOV-2022

Received by Title: Licensee

Date:
03-NOV-2022



Inspection Report

Prepared By: HARVEY KENT
USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
03-NOV-2022

Received by Title: Licensee

Date:
03-NOV-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
5590	43-A-2296	001	MARY ANN SMITH	02-NOV-2022

Count	Scientific Name	Common Name
000099	<i>Canis lupus familiaris</i>	DOG ADULT
000010	<i>Canis lupus familiaris</i>	DOG PUPPY
000109	Total	