



### Inspection Report

---

Wagging Tails LLC  
166 Gordon Road  
Ava, IL 62901

Customer ID: **6011077**  
Certificate: **33-A-0614**  
Site: 001  
Wagging Tails LLC

Type: ROUTINE INSPECTION  
Date: 25-MAY-2022

---

#### 2.40(b)(1)

##### Attending veterinarian and adequate veterinary care (dealers and exhibitors).

There is a cavalier female, brown/white-4yrs old (Julie, #8225) that has a moderate buildup of brown tarter/plaque type material on all of her teeth. While there is no evidence of loose teeth or infection, the amount of buildup needs to be properly diagnosed and treated by the attending veterinarian. The attending veterinarian had not been contacted about the dogs teeth, as the licensee did not observe the progression of the buildup on the teeth until identified during the inspection.

The lack of timely dental care and monitoring can cause a possible health issue and pain or discomfoport to the regulated animal.

The licensee must contact the attending veterinarian for proper diagnosis and treatment of the dogs teeth. The daily observations should include dental health and monitoring.

To be corrected by: The licensee made contact with the attending veterinarian during the inspection and made a dental appointment for May 31, 2022

#### 3.1(c)(1)

---

Prepared By: ANNMARIE COMPTON  
USDA, APHIS, Animal Care  
Title: ANIMAL CARE INSPECTOR

Date:  
26-MAY-2022

Received by Title: Licensee

Date:  
26-MAY-2022



### Inspection Report

---

**Housing facilities, general.**

There are four unsealed cement walls on each end of the outdoor runs that contain dogs and are in direct contact with the regulated animals.

Unsealed wood and cement can absorb bacteria or other health concerns that would allow the regulated animal to come into direct contact with the contaminant. Sealed wood and cement can be cleaned and sanitized according to AWA regulations and standards.

All surfaces that come in direct contact with the regulated animals must be constructed in a manner and made of materials that allow them to be readily cleaned and sanitized. All wood and cement surfaces must be sealed in order to prevent the contamination of the surfaces with bacteria or other possible health issues.

To be corrected by: June 26, 2022

This inspection and exit interview were conducted with licensee.

---

**Prepared By:** ANNMARIE COMPTON  
USDA, APHIS, Animal Care  
**Title:** ANIMAL CARE INSPECTOR

**Date:**  
26-MAY-2022

**Received by Title:** Licensee

**Date:**  
26-MAY-2022



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6011077	33-A-0614	001	Wagging Tails LLC	25-MAY-2022

Count	Scientific Name	Common Name
000014	<i>Canis lupus familiaris</i>	DOG ADULT
000010	<i>Canis lupus familiaris</i>	DOG PUPPY
000024	<b>Total</b>	